

Exhibit B – Part 2


U.S. Patent

May 22, 2001

Sheet 9 of 35

US 6,236,104 B1

FIG. 9



U.S. Patent


May 22, 2001

Sheet 10 of 35

US 6,236,104 B1

FIG. 10

BMD DENSITY VS. OXYGEN PARTIAL PRESSURE



U.S. Patent

May 22, 2001

Sheet 11 of 35

US 6,236,104 B1

FIG.11





FIG.12



U.S. Patent

May 22, 2001

Sheet 12 of 35

US 6,236,104 B1

FIG.13





FIG.14




U.S. Patent

May 22, 2001

Sheet 13 of 35

US 6,236,104 B1

FIG. 15




U.S. Patent

May 22, 2001

Sheet 14 of 35

US 6,236,104 B1

FIG. 16




U.S. Patent

May 22, 2001

Sheet 15 of 35

US 6,236,104 B1

FIG. 17




U.S. Patent

May 22, 2001

Sheet 16 of 35

US 6,236,104 B1

FIG. 18




U.S. Patent

May 22, 2001

Sheet 17 of 35

US 6,236,104 B1

FIG. 19



U.S. Patent

May 22, 2001

Sheet 18 of 35

US 6,236,104 B1

FIG. 20





FIG. 21



U.S. Patent

May 22, 2001

Sheet 19 of 35

US 6,236,104 B1

FIG. 22





FIG. 23




U.S. Patent

May 22, 2001

Sheet 20 of 35

US 6,236,104 B1

FIG. 24




U.S. Patent

May 22, 2001

Sheet 21 of 35

US 6,236,104 B1

FIG. 25




U.S. Patent

May 22, 2001

Sheet 22 of 35

US 6,236,104 B1

FIG. 26A




U.S. Patent

May 22, 2001

Sheet 23 of 35

US 6,236,104 B1

FIG. 26B





U.S. Patent

May 22, 2001

Sheet 24 of 35

US 6,236,104 B1






U.S. Patent

May 22, 2001

Sheet 26 of 35

US 6,236,104 B1

FIG.29




U.S. Patent

May 22, 2001

Sheet 27 of 35

US 6,236,104 B1




U.S. Patent

May 22, 2001

Sheet 28 of 35

US 6,236,104 B1

FIG. 31




U.S. Patent

May 22, 2001

Sheet 29 of 35

US 6,236,104 B1



U.S. Patent

May 22, 2001

Sheet 30 of 35

US 6,236,104 B1

FIG. 33

AXIAL
POSITION


600mm

640mm

665mm

730mm

AGGLOMERATED
INTERSTITIAL DEFECTS, 280
PULL RATE



VACANCY
DOMINATED, 80